INDEX TO VOL. XVIII.

A COUSTICAL insulation afforded by double partitions constructed

Actinium series, the ultimate origin

of, 256.

Adsorbed moisture films on glazed porcelain, the surface resistivity of, 63.

Algebraic equations, the solution of, by means of tables of

logarithms, 529.

Allen (J.) on the ratio of the maximum to the mean velocity, and the position of the filament of mean velocity, in the laminar motion of an incompressible viscous fluid through a pipe of rectangular cross-section, 488.

Alternating and pulsating currents in a loaded telephone cable,

Araki (G.) on the intensity distribution of sound from a tuningfork, 441.

Arsenic-tin system of alloys, an X-ray investigation of, 114.

Atomic constants and X-ray levels,

- nuclei, the structure of, 129. - positions in paradinitrobenzene, determination of, by Fourier analysis method, 1004.

Baggott (E. A.) and Levy (Prof. H.), characteristic numbers, functions, and orthogonal properties of

difference equations, 177.
Bailey (Prof. V. A.), the study of the magneto-ionic theory of wavepropagation by means of conformal representation, 516.

-, the solution of algebraic equations by means of tables

of logarithms, 529.

and Martyn (Dr. D. F.), the influence of electric waves on the ionosphere, 369.

Banerjee (K.), the determination of the atomic positions in para-dinitrobenzene by Fourier analysis method, 1004.

Bennett (W. R.) and Rice (S. O.), note on methods of computing modulation products, 422.

Benzene-air and methyl alcohol-air mixtures, the thermal properties of. 554.

Benzoic acid, determination of the thermodynamic dissociation constant, at 25°, from conductivity measurements, 901.

Bhatnagar (Prof. S. S.), Mitra (N. G.), and Tuli (G. D.) on the atomic diamagnetic susceptibility of hydrogen, 449.

Black-body radiator, the blackness

of, 561.

Blackman (Dr. M.) on the optical

-, the influence of crystal forces on the vibration of a complex

ion, 425.

Books, new:—N. F. Mott and H. S. W. Massey's The Theory of Atomic Collisions, 207; Prof. E. W. Brown and C. A. Shook's Planetary Theory, 405; H. W. Edwards's Analytic and Vector Mechanics, 407; Prof. E. Jahnke and Prof. F. Emde's Funktionentafeln, Tables of Functions. 408; Sir James Jean's The New Background of Science, 524; Dr. J. W. Mellor's Uncle Joe's Nonsense for Young and Old Children, 524; Prof. H. F. Baker's The Principles of Geo-metry.—Vol. VI., 525; Rudolf Carnap's L'ancienne et la nouvelle logique, 527; Philipp Frank's Théorie de la connaissance et physique moderne, 527; Moritz Schlick's Les énoncés scientifiques

et la réalité du monde extérieur, 527; Prof. W. Wilson's Theoretical Physics .- Vol. II. Electromagnetism and Optics (Maxwell - Lorentz), 528; Dr. J. Tutin's The Atom, 724; Prof. Leonard B. Loeb and Arthur S. Adams's The Development of Physical Thought, 726; Prof. W. Swietoslawski's Thermochimie, 727; Prof. G. A. Bliss's Algebraic Functions: American Mathematical Society Colloquium Publications.—Vol. XVI., 728; J. E. Nyrop's A Treatise on the Catalytic Action of Surfaces, 842; Prof. P. W. Bridgman's The Thermodynamics of Electrical Phenomena in Metals, 842; A. S. Ramsey's Statics, 843; H. F. Biggs's The Electro-magnetic Field, 843; T. Y. Thomas's The Differential Invariants of Generalized Spaces, 844; Dr. Vaughan Cornish and Dr. Harold Jeffreys's Ocean Waves and kindred Geophysical Phenomena, 1161; Dr. J. W. Mellor's A Comprehensive Treatise on Inorganic and Theoretical Chemistry.-Vol. XIII., 1162; Prof. D. M. Y. Sommerville's Analytical Geometry of Three Dimensions, 1163; Prof. Niels Bohr's Atomic Theory and the Description of Nature, 1164.

Boulind (H. F.), corona discharges

in various gases, 909.

Boundary problems in mathematical physics, on the solution of, 624 Brillouin's unified statistics, note

on modification of, 192. Broadening of spectral lines and

pressure shift, 987.

Butler (Dr. J. A. V.) and Orr (W. J. C.), factors determining electrolytic dissociation and the energy of dissociation of salt molecules, 778.

Carnegie (W.) on a new method

for determining the electron diffraction patterns produced by

thin films, 956.

Celluloid films, the structure of thin.—III., 291.

Churcher (B. G.), King (A. J.), and Davies (H.), the minimum perceptible change of intensity of a pure tone, 927.

Clark (C. H. D.), interconversion scale; energy, temperature, and atomic weight, 80.

-, on the relation between vibration frequency and nuclear separation for some non-hydride diatomic molecules, 459.

Clean-up of various gases by magnesium, calcium, and barium,

1117.

Collector analysis of dischargetubes, an alternating current method for, 193.

Combination coefficients, the theory of, for large ions and for uncharged particles at any pressure,

Condensation of thin metallic films, reflexion observations,

241.

Condenser discharge, sound radia-

tion from, 25.

Conformal representation, study of the magneto-ionic theory of wave-propagation by means of,

Constable (Dr. J. E. R.), the acoustical insulation afforded by double partitions constructed from similar components, 321.

Copper, cold-worked, latent energy due to lattice distortion of.

Copper - magnesium system, the

Cu₃Mg phase, 343.

Cornish (R. J.) and Jones (E.) on the elastic bending of a curved rectangular bar under direct stress, 456.

Corona discharges in various gases, 909.

Correlation of time-series, note on the, 545.

Cosmic rays, a theory of the origin of, 971.

Crystal forces, the influence of, on the vibration of a complex ion,

Crystallite crientation in a polycrystalline metal during plastic flow, 949.

Cunnold (F. A.) and Milford (M.), the blackness of a black-body radiator, 561.

Cylindrical shells, deformation of, subjected to internal loading,

David (Prof. W. T.) and Jordan (Dr. J.) on flame temperatures in methane-air mixtures, 228,

David (Prof. W. T.) and Leah (Dr. A. Smeeton), the specific heats of gases at high temperatures, 307.

Davies (H.), the determination of the stimulus-sensation relation for audition from data on the minimum perceptible changes of intensity, 940.

-, Churcher (B. G.), and King (A. J.) on the minimum perceptible change of intensity of

a pure tone, 927.

Davies (R. M.) and James (Dr. E. G.), a study of an electrically-maintained vibrating reed and its application to the determination of Young's modulus. -Part I. Theoretical, Part II. Experimental, 1053.

Dean (W. R.), note on the divergent

flow of fluid, 759.

Deformation of thin cylindrical shells subjected to internal load-

ing, 1099.

(Dr. S. C.) and Shastri (N. A.) on the parabolic cylinder functions, 401.

Diamagnetic susceptibility of hydrogen, 449.

Difference equations, characteristic numbers, functions, and orthogonal properties of, 177.

Diffraction of slow electrons by crystals, a new method of inves-

tigating the, 878.

Discharge-tubes, an alternating current method for collector analysis

Divergent flow of fluid, note on the,

Dufton (A. F.), the graphic computation of the strength of windows, 792.

Dwight (C. H.) on the diurnal variation of the space charge and its effect upon the potential gradient, 719.

Eddy current heating, applications of the ker and kei functions, 610.

Ehrenberg (Dr. W.) on a new method of investigating diffraction of slow electrons in crystals, 878.

Elastic bending of a curved rectangular bar under direct stress,

Electric arc, note on the, 365.

- waves, the influence of, on the ionosphere, 369.

Electrolytes, completely dissociated, an apparent paradox in theory of heats of dilution of, 46.

Electrolytic dissociation, factors

determining, 778.

Electron diffraction patterns produced by thin films, a new method for determining the, 956. energies in the negative glow,

note on, 874.

Emeléus (K. G.) and Kennedy (D.), note on electron energies in the negative glow, 874.

Emission spectra of the vapours of the sodium and potassium

halides, 1134.

Energy of dissociation of salt molecules, 778.

-, temperature, and atomic weight: a rapid interconversion

scale, 80.

Eropkin (D.) on the distribution of energy in the ultra-violet solar spectrum as inferred from the photochemical theory of the ozone equilibrium in the earth's atmosphere, 838.

Evans (Prof. E. J.) and Jones E.), the magneto-optical dispersion of normal butyl acetate, methyl acetate and ethyl acetate in the ultra-violet region of the spectrum, 386.

and Willott (W. A.) on an X-ray investigation of the arsenic-

tin system of alloys, 114.

Falling plate, photographic time registration in an experimental determining of "g," 352.

Force, the concept of, in wave mechanics, 1150.

Flame temperatures in methane-air mixtures, 228.

Foster (Dr. Alan W.) on the temperature variation of the thermoelectric properties and the specific heat of nickel-chromium alloys,

Fox (E. N.), two problems arising in practical applications of heat

theory, 209.

"g," an experimental determination of, by photographic time registration on a falling plate, 352.

Gatty (O.), an apparent paradox in the theory of the heats of dilution of completely dissociated electrolytes, 46.

on membrane equilibria and

the phase rule, 273.

Gibbs (Dr. R. E.) and Ramlal (N.), crystallite orientation in a polycrystalline metal during plastic flow, 949.

Gill (E. W. B.), the theory of ultrashort wave generators, 832.

Glow discharge, high - frequency,

Graphic computation of the strength of windows, 792.

Green (Dr. G.), the sources of various kinds near a plane boundary separating two different media, 625.

Halides, the emission spectra of the vapours of sodium and potassium,

1134.

Hamada (H.) on the emission spectra of the vapours of sodium and potassium halides, 1134.

Harmonic analysis of sound-frequency oscillations with a strobo-

scopic disk, 303.

Harper (Dr. W. R.) on the theory of the combination coefficients for large ions and for uncharged particles at any pressure, 97.

Heat theory, two problems arising in practical applications of, 209.

Heat-conduction from a spherical source, on the solution of a problem in, by the method of wave-trains, 165.

, on the solutions of problems in, by the method of wave-trains, 1009.

Heats of dilution of completely dissociated electrolytes, an apparent paradox in the theory of, 46.

Helium, ionization by positive

High-frequency glow discharge, 696. Hill (Dr. A. G.), the magnetic effects in iron crystals, 539.

Huxley (Dr. L. G. H.) on a theory of the origin of cosmic rays, 971. Hydrogen lines, general expression

for the intensity of, 845. -, the atomic diamagnetic sus-

ceptibility of, 449.

Hydroxyl, preparation of free, 409. Hyperfine-structure of spectrum lines of manganese arc vacuum.-Part I., 1144.

Inner potential, measurement of mean, 656.

Integral, definite, involving Le-

gendre functions, 1158. Intensity of a pure tone, the minimum perceptible change of, 927.

Intensity of hydrogen lines, general expression for, 845.

Interconversion scale, energy, temperature, and atomic weight, 80.

Ionization by positive ions in helium, 594.

Ionosphere, the influence of electric waves on the, 369.

Ionospheric heights at Calcutta during the polar year 1932-33, report on measurement of, 675.

Iron crystals, magnetic effects in,

Jackson (W.), the skin effect in rectangular conductors at high

frequencies, 433.

James (Dr. E. G.) and Davies (R. M.), a study of an electricallymaintained vibrating reed and its application to the determination Young's modulus .- Part I. Theoretical, Part II. Experimental, 1053.

Jeffery (G. H.) and Vogel (Dr. A. I.) on the determination of the thermodynamic dissociation constant of benzoic acid, at 25°, from conductivity measurements,

Johnson (F. W.) on the surface resistivity of adsorbed moisture films on glazed porcelain, 63.

Jones (E.) and Cornish (R. J.) on the elastic bending of a curved rectangular bar under direct stress, 456.

Jones (Prof. E. Taylor), the structure of thin celluloid films, III.,

Jones (G. E.) and Evans (Prof. E. J.), the magneto-optical dispersion of normal butyl acetate. methyl acetate, and ethyl acetate in the ultra-violet region of the spectrum, 386.

Jordan (Dr. J) and David (Prof. W. T.) on flame temperatures in methane-air mixtures, 228.

Kennedy (D.) and Emeléus (Prof. K. G.), note on electron energies in the negative glow, 874.

Ker and kei functions, polar form, with applications to eddy current

heating, 610.

King (A. J.), Davies (H.), and Churcher (B. G.) on the minimum perceptible change of intensity of a pure tone, 927.

Kothari (D.S.), note on modification of Brillouin's unified statistics, 192. Kuhn (H.), pressure shift and broadening of spectral lines, 987.

and London (F.) on the limitation of the potential theory of the broadening of spectral lines, 983.

Laminar motion of an incompressible viscous fluid through a pipe of rectangular crosssection, the ratio of the maximum to the mean velocity and the position of the filament of mean velocity, 488.

Langton (E.) and Tyler (Dr. E.), photographic time registration on a falling plate in an experimental determination of

Latent energy due to lattice distortion of cold-worked copper,

Lattice distortion of cold-worked copper, latent energy due to, 495.

Leah (Dr. A. Smeeton) and David (Prof. W. T.), the specific heats of gases at high temperatures,

Legendre functions, on some definite integrals involving, 1158.

Levy (Prof. H.) and Baggott E. A.), the characteristic numbers, functions, and orthogonal properties of difference equations, 177.

Light, discrete structure of, and the photographic intermittency

effect, 1.

- elements, radioactivity of, 156. London (F.) and Kuhn (H.) on the limitation of the potential theory of the broadening of spectral lines, 983.

Lorentz transformation, general-

ization of, 187.

McFarlane (W.) on the sound radiation from a condenser dis-

charge, 24.

MacGregor (E. I. R.) and Sloane (R. H.) on an alternating current method for collector analysis of

discharge-tubes, 193. McLachlan (Dr. N. W.) and Meyers (A. L.), the polar form of the ker and kei functions, with applications to eddy current heating, 610.

McLean (L.), a general expression for the intensity of hydrogen

lines, 845.

Magnetic effects in iron crystals, 539.

Magneto-ionic theory of wavepropagation by means of conformal representation, 516.

Magneto-optical dispersion of organic liquids in the ultra-violet region of the spectrum.-Part VIII. The magneto-optical dispersion of normal butyl acetate, methyl acetate, and ethyl acetate, 386.

Manganese arc in vacuum, hyperfine-structure of spectrum lines

of.—Part I., 1144.

Marro (Dr. M.), alternating and pulsating currents in a loaded telephone cable, 288.

- on pulsating currents tele-

phony, 571.

Martyn (Dr. D. F.) and Bailey (Prof. V. A.), the influence of electric waves on the ionosphere,

Membrane equilibria and the phase

rule, 273.

Mercury are at liquid air temperature, 607.

Metallic films, condensation of thin: some reflexion observations, 241.

Methane-air mixtures, flame temperatures of, 228.

Meyers (A. L.) and McLachlan (Dr. N. W.), the polar form of the ker and kei functions, with applications to eddy current heating, 610.

Micro - calorimetry, considerations on. 745.

Milford (M.) and Cunnold (F. A.), the blackness of a black-body radiator, 561.

Mitra (N. G.), Tuli (Gopal Das), Bhatnagar (Prof. S. S.) on the atomic diamagnetic susceptibility of hydrogen, 449.

Modulation products, methods of computing, 422.

Mohammad (Prof. W.) and Sharma (P.), the hyperfine-structure of spectrum lines of manganese are in vacuum.—Part I., 1144.

Morgan (Dr. J. D.), an experiment relating to the thermal and electrical theories of spark ignition, 827.

Morrison (Prof. J. T.), note on the correlation of time-series, 545.

Negative glow, note on electron

energies in, 874.

Nemes (T. D.) on the harmonic analysis of sound-frequency oscillations with a stroboscopic disk, 303. Neufield (J.) on the solution of boundary problems in mathematical physics, 624.

Newman (Prof. F. H.), note on the electric arc, 365.

-, on the mercury are at liquid

air temperature, 607.

Nickel-chromium alloys, the temperature variation of the thermoelectric properties and the specific heat of, 470.

Nielsen (G. S.) on the transverse thermomagnetic effect: a method

of measurement, 575.

Nuclear separation and vibration frequency, the relation between, for some simple non-hydride diatomic molecules, 459.

- synthesis and radioactivity,

795.

Open wire transmission lines, radiation characteristics of, 236.

Optical properties of thin films,

Orr (W. J. C.) and Butler (Dr. J. A. V.), factors determining electrolytic dissociation and energy of dissociation of salt molecules, 778.

Oscillations, harmonic analysis of sound-frequency with a strobo-

scopie disk, 303.

Ozone equilibrium in the earth's atmosphere, the photochemical theory of, 838.

Parabolic cylinder functions, 401. Paradinitrobenzene, determination of the atomic positions in, Fourier analysis method, by 1004.

Parthasarathy (S.) on X-ray diffraction in liquid mixtures.-Part I.,

Partial differential equation, V_i^t + 2KV=0 in a two-dimensional space of constant curvature K, the general solution of, 921.

Phase rule and membrane equilibria,

Photographic intermittency effect and the discrete structure of light, 1.

Plane boundary separating two different media, sources of various kinds near, 625.

Positive ions in helium, ionization by, 594.

Potential gradient, the diurnal variation of the space charge and its effect upon the, 719.

Potential theory of the broadening of spectral lines, limitation of the,

Pressure shift and broadening of spectral lines, 987.

Probability problem in integers.

Pulsating currents telephony, 571.

Radiation characteristics of open wire transmission lines, 236.

Radioactivity and nuclear synthesis,

- of light elements, 156.

Rakshit (Dr. H.), report on measurement of ionospheric heights at Calcutta during the polar year, 1932-33, 675.

Raman effect and the complexity of the mercurous and thallous

ions, 823.

Ramlal (N.) and Gibbs (Dr. R. E.), crystallite orientation in a polycrystalline metal during plastic flow, 949.

Reimann (Dr. A. L.) on the cleanup of various gases by magnesium, calcium, and barium, 1117.

Rice (S. O.) and Bennett (W. R.), note on methods of computing modulation products, 422.

Robertson (J.) on the solution of a problem in heat-conduction from a spherical source by the method of wave-trains, 165.

on the solutions of problems in heat-conduction by the method

of wave-trains, 1009.

Robertson (Dr. J. M.), a twocrystal moving film spectrometer for comparative intensity measurements in X-ray crystal analysis, 729.

Robinson (Prof. H. R.), X-ray levels and atomic constants, 1086.

Rosenberg (Dr. R. L.) on the concept of force in wave mechanics,

Ruse (Dr. H. S.), the general solution of the partial differential equation, Vi+2KV=0 in a twodimensional space of constant curvature K, 921.

Schwerin (Prof. Dr. Eng. E.), note on the vibration of turbine

blades, 728.

Sederman (Mr. V. G.), the CuaMg phase in the copper magnesium

Sharma (P. N.) and Mohammad (Prof. W.), the hyperfine-structure of spectrum lines of manganese arc in vacuum.-Part I., 1144.

Shastri (N. A.) and Dhar (Dr. S. C.) on the parabolic cylinder func-

Silberstein (Dr. L.), a probability problem in integers, 1132.

- and Webb (J. H.), the photographic intermittency effect and the discrete structure of light, 1.

Skin effect in rectangular conductors at high frequencies, 433.

Sloane (R. H.) and MacGregor (E. I. R.) on an alternating current method for collector analysis of discharge-tubes, 193.

Small (Dr. J.) on the thermal properties of benzene-air and methyl alcohol-air mixtures, 554.

Small-scale structure of surfaces, 640.

Sound, intensity distribution of, from tuning-fork, 441.

radiation from a condenser discharge, 24.

Sources of various kinds near a plane boundary separating two different media, 625.

Space charge, the diurnal variation of, and its effect upon the potential gradient, 719.

Spark ignition, an experiment relating to the thermal and electrical theories of, 827.

Specific heat and thermoelectric properties of nickel-chromium alloys, temperature variation of, 470.

heats of gases at high tem-

peratures, 307.

Spectral lines, limitation of the potential theory of the broadening of, 983.

Spectrometer, a two-crystal movingfilm, for comparative intensity measurements in X-ray crystal analysis, 729.

Starkey (T. V.), condensation of thin metallic films: some reflexion observations, 241.

Stimulus-sensation relation for audition, the determination of, from data on the minimum perceptible changes of intensity,

Stoddart (E. M.) on the preparation

of free hydroxyl, 409.

Stroboscopic disk in the harmonic analysis of sound-frequency oscillations, 303.

Stuart (W. S.) on a valve-maintained stretched-wire vibrator, 566.

Surface resistivity of adsorbed moisture films on glazed porcelain, 63.

Surfaces, the small-scale structure of, 640.

Tavani (F.) on a generalization of Lorentz transformation, 187.

Telephone cable, loaded, alternating and pulsating currents in a, 288.

Telephony, pulsating currents,

Temperature variation of the thermoelectric properties and the specific heat of nickel-chromium alloys, 470.

Thermal properties of benzeneair and methyl alcohol-air mix-

tures, 554.

Thermodynamic dissociation constant of benzoic acid at 25° C. from conductivity measurements,

Thin films, optical properties of,

Thomson (Prof. G. P.) on the small-scale structure of surfaces,

Thomson (Dr. J.) on the highfrequency glow discharge, 696. Tillman (J. R.), the measurement

of mean inner potential, 656. Townsend (Prof. J. S.) and Yarnold

(G. D.), ionization by positive ions in helium, 594.

Transverse thermomagnetic effect: a method of measurement, 575.

Triangle-probability problem in integers, 1132.

Tuli (G. D.), Bhatnagar (Prof. S. S.) and Mitra (N. G.) on the atomic diamagnetic susceptibility of hy-

drogen, 449.
Tuning-fork, the intensity distribution of sound from, 441.

Tyler (Dr. E.) and Langton (E.), photographic time registration on a falling plate in an experimental determination of

Ultra-short wave generators; the theory of, 832.

Ultra-violet solar spectrum, on the distribution of energy in, 838.

Unified statistics, Brillouin's, note on a modification of, 192.

Valve - maintained stretched - wire vibrator, 566.

Vibrating reed, a study of an electrically-maintained, and its application to the determination of Young's modulus.—Part I. Theoretical, 1923; Part II. Experimental, 1053.

Vibration frequency and nuclear separation, relation between, for some simple non-hydride diatomic

molecules, 459.

of turbine blades, note on,

Viscosity between the melting- and boiling-points, the influence of molecular structure on the variation of, 579.

- data, on a comparison of

liquid, 505.

- Vogel (Dr. I.) and Jeffery (George H.) on the determination of the thermodynamic dissociation constant of benzoic acid, at 25°, from conductivity measurements,
- Walke (H. J.), on the radioactivity of light elements, 156.

-, on the structure of atomic nuclei, 129.

-, on the ultimate origin of

the actinium series, 256. -, radioactivity and nuclear syn-

thesis, 795. Waller (Miss Mary D.) on the comparison of liquid viscosity data,

on the influence of molecular structure on the variation of viscosity between the melting-

and boiling-points, 579. Walmsley (Dr. T.) on the radiation characteristics of open wire trans-

mission lines, 236.

Wave generators, the theory of ultra-short, 832.

- mechanics, the concept force in, 1150.

Wave-propagation, study of the magneto-ionic theory of, by means of conformal representation, 516.

Wave-trains, the method of, in the solution of a problem in heatconduction from a spherical source, 165.

-, the method of, in the solutions of problems in heat-conduction.

Webb (J.H.) and Silberstein (Dr. L.). the photographic intermittency effect and discrete structure of light, 1.

Whipp (Dr. Brian), considerations on micro-calorimetry, 745.

Willott (W. H.) and Evans (Prof. E. F.) on an X-ray investigation of the arsenic-tin system of alloys, 114.

Wojtaszak (I. A.), deformation of thin cylindrical shells subjected

to internal loading, 1099. Wood (W. A.), the latent energy due to lattice distortion of cold-

worked copper, 495.

Woodward (Dr. A.), Raman effect and the complexity of the mercurous and thallous ions, 823.

X-ray crystal analysis, a two-crystal moving film spectrometer for comparative intensity measurements in, 729.

diffraction in liquid mix-

tures .- Part I., 90.

investigation of the arsenictin system of alloys, 114.

levels and atomic constants. 1086.

Yarnold (G. D.) and Townsend (Prof. J.S.), ionization by positive

ions in helium, 594.

Young's modulus, the determination of, by means of an electricallymaintained vibrating Part I. Theoretical, 1023; Part II. Experimental, 1053.

END OF THE EIGHTEENTH VOLUME.

Worl Vesearch



				_
		-	111	
 м				
	 -			

APR 27 '80 PER	
The second second	
	1 2
The state of the s	
	4
	The same of the sa
PERIODICALS N	IUST BE RETURNED
- SAMONERIO DI G	ALE DEEN CALL

DEMCO TO PERIODICALS DESK ONLY